

'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\mscorlib\v4.0\_4.0.0.0\_b77a5c561934e089\mscorlib.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'C:\Program Files\Common Files\Microsoft Shared\DevServer\10.0\WebDev.WebServer40.exe', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\WebDev.WebHost40\v4.0\_10.0.0.0\_b03f5f7f11d50a3a\WebDev.WebHost40.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Windows.Forms\v4.0\_4.0.0.0\_b77a5c561934e089\System.Windows.Forms.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Drawing\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Drawing.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System\v4.0\_4.0.0.0\_b77a5c561934e089\System.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\System.Web\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Web.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Core\v4.0\_4.0.0.0\_b77a5c561934e089\System.Core.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Configuration\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Configuration.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Xml\v4.0\_4.0.0.0\_b77a5c561934e089\System.Xml.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Runtime.Caching\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Runtime.Caching.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\Microsoft.Build.Utilities.v4.0\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\Microsoft.Build.Utilities.v4.0.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\Microsoft.JScript\v4.0\_10.0.0.0\_b03f5f7f11d50a3a\Microsoft.JScript.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\CppCodeProvider\v4.0\_10.0.0.0\_b03f5f7f11d50a3a\CppCodeProvider.dll'  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\Microsoft.CSharp\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\Microsoft.CSharp.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\System.Data\v4.0\_4.0.0.0\_b77a5c561934e089\System.Data.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.Services\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Web.Services.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\System.EnterpriseServices\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.EnterpriseServices.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.IdentityModel\v4.0\_4.0.0.0\_b77a5c561934e089\System.IdentityModel.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Runtime.Serialization\v4.0\_4.0.0.0\_b77a5c561934e089\System.Runtime.Serialization.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.ServiceModel\v4.0\_4.0.0.0\_b77a5c561934e089\System.ServiceModel.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.ServiceModel.Activation\v4.0\_4.0.0.0\_31bf3856ad364e35\System.ServiceModel.Activation.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.ServiceModel.Web\v4.0\_4.0.0.0\_31bf3856ad364e35\System.ServiceModel.Web.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Activities\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Activities.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.ServiceModel.Activities\v4.0\_4.0.0.0\_31bf3856ad364e35\System.ServiceModel.Activities.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.WorkflowServices\v4.0\_4.0.0.0\_31bf3856ad364e35\System.WorkflowServices.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.Extensions\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Web.Extensions.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Data.DataSetExtensions\v4.0\_4.0.0.0\_b77a5c561934e089\System.Data.DataSetExtensions.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Xml.Linq\v4.0\_4.0.0.0\_b77a5c561934e089\System.Xml.Linq.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.ComponentModel.DataAnnotations\v4.0\_4.0.0.0\_31bf3856ad364e35\System.ComponentModel.DataAnnotations.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.DynamicData\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Web.DynamicData.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.ApplicationServices\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Web.ApplicationServices.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319\Temporary ASP.NET Files\root\92b71c82\ef8f50d5\assembly\d13\c9c7b438\00de137a\_a6cdcd01\AjaxControlToolkit.DLL'  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319\Temporary ASP.NET Files\root\92b71c82\ef8f50d5\assembly\d13\08169f86\9a0da8a5\_7565ce01\Natnics\_Inc.DLL', Symbols loaded.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Design\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Design.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.Extensions.Design\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Web.Extensions.Design.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Xaml\v4.0\_4.0.0.0\_b77a5c561934e089\System.Xaml.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.Mobile\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Web.Mobile.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.

'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.RegularExpressions\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.Web.RegularExpressions.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\SMDiagnostics\v4.0\_4.0.0.0\_b77a5c561934e089\SMDiagnostics.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Runtime.DurableInstancing\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Runtime.DurableInstancing.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Xaml.Hosting\v4.0\_4.0.0.0\_31bf3856ad364e35\System.Xaml.Hosting.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\System.EnterpriseServices\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\System.EnterpriseServices.Wrapper.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Web.Entity\v4.0\_4.0.0.0\_b77a5c561934e089\System.Web.Entity.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'A\_6a777216\_1b44\_4497\_994d\_594cbb173762'  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\System.Data.Services.Design\v4.0\_4.0.0.0\_b77a5c561934e089\System.Data.Services.Design.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_MSIL\Microsoft.Build.Framework\v4.0\_4.0.0.0\_b03f5f7f11d50a3a\Microsoft.Build.Framework.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319\Temporary ASP.NET Files\root\92b71c82\ef8f50d5\App\_Web\_k0vrsyzt.dll', Symbols loaded.  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'A\_21129287\_beac\_4936\_b670\_6e7721c3d0e1'  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded 'C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319\Temporary ASP.NET Files\root\92b71c82\ef8f50d5\App\_Web\_g2bfioxl.dll', Symbols loaded.  
A first chance exception of type 'System.Threading.ThreadAbortException' occurred in mscorlib.dll  
An exception of type 'System.Threading.ThreadAbortException' occurred in mscorlib.dll but was not handled in user code  
'WebDev.WebServer40.EXE' (Managed (v4.0.30319)): Loaded  
'C:\WINDOWS\Microsoft.Net\assembly\GAC\_32\System.Transactions\v4.0\_4.0.0.0\_b77a5c561934e089\System.Transactions.dll', Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled.  
The thread '<No Name>' (0xe90) has exited with code 0 (0x0).  
The thread '<No Name>' (0x9d8) has exited with code 0 (0x0).  
The thread '<No Name>' (0x1608) has exited with code 0 (0x0).  
The thread 0x640 has exited with code 0 (0x0).  
The program '[2144] iexplore.exe: Script program' has exited with code 0 (0x0).  
The program '[2696] WebDev.WebServer40.EXE: Managed (v4.0.30319)' has exited with code 0 (0x0).